

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|----------|--|---|------------------|---------|------------------|
| L1 | 10645814 | (increase or increasing or increased or adjusting or adjust or adjusted or modified or modifying or modify or decrease or decreased or decreasing or reduce or reducing or reduced or change or changing or changed) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 09:48 |
| L2 | 403291 | "700"/\$.ccls. or "318"/\$.ccls. or "388"/\$.ccls. or "369"/\$.ccls. or "361"/\$.ccls. or "360"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 09:31 |
| L3 | 297378 | voltage near2 (limit or threshold or reference) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:14 |
| L4 | 303516 | (voltage or charge) near2 (limit or threshold or reference) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 09:37 |
| L6 | 49331 | 1 near3 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 09:46 |
| L7 | 3590976 | profile or table or index or predicted or expected | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:23 |
| L8 | 1773 | 6 same 7 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 09:47 |
| L9 | 75 | 8 and 2 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 09:47 |
| L10 | 292 | (8 and (spindle or disk or disc or hdd or motor)) not 9 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 09:47 |
| L11 | 10783378 | (increase or increasing or increased or adjusting or adjust or adjusted or modified or modifying or modify or decrease or decreased or decreasing or reduce or reducing or reduced or change or changing or changed or adjustable) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:14 |

| | | | | | | |
|-----|----------|--|---|----|-----|------------------|
| L12 | 50893 | 11 near3 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 09:49 |
| L13 | 1800 | 12 same 7 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 09:49 |
| L14 | 77 | 2 and 13 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 09:50 |
| L15 | 296 | (13 and (spindle or disk or disc or hdd or motor)) not 14 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 09:50 |
| L16 | 2 | ("6166503").URPN. | USPAT | OR | OFF | 2005/08/24 10:01 |
| L17 | 1 | ("6011375").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/08/24 10:13 |
| L18 | 10787189 | (increase or increasing or increased or adjusting or adjust or adjusted or modified or modifying or modify or decrease or decreased or decreasing or reduce or reducing or reduced or change or changing or changed or adjustable or configurable) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:14 |
| L19 | 468260 | voltage near2 (limit or threshold or reference or source) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:14 |
| L20 | 57499 | 18 near2 19 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:15 |
| L21 | 19946 | (sense or sensing or sensor) near2 resistor | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:16 |
| L22 | 220 | 20 same 21 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:16 |
| L23 | 47 | 22 and 2 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:18 |

| | | | | | | |
|-----|---------|---|---|----|-----|------------------|
| L24 | 1868 | 7 same 20 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:23 |
| L25 | 2427399 | profile or table or predicted or expected | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:23 |
| L26 | 1674 | 25 same 20 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:23 |
| L27 | 77 | 26 and 2 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:23 |
| L28 | 3 | ("6011375").URPN. | USPAT | OR | OFF | 2005/08/24 10:30 |
| L29 | 4 | ("5017855" "5457364" "5640943" "5786681").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/08/24 10:46 |
| L30 | 3182811 | (configurable or configuring or configure or configured or adjusting or adjustable or adjusted adjust) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:49 |
| L31 | 16841 | 19 near2 30 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:50 |
| L32 | 377378 | comparator | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:50 |
| L33 | 391119 | 32 or 21 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:50 |
| L34 | 2362 | 33 same 31 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:55 |
| L35 | 262 | 34 and 2 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:54 |
| L36 | 2012 | 31 same (profile or memory or table) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:55 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L37 | 123 | 33 same 36 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 10:55 |
| L38 | 29 | 37 and (spindle or disk or disc or hdd or motor) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 12:29 |
| L39 | 360 | (programmable or re-configurable or (reconfigurable)) near comparator | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 12:30 |
| L40 | 89 | 39 and (2 or spindle or hdd or disk or disc or motor) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 12:31 |
| L41 | 7 | 39 with 7 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 12:31 |
| L42 | 3 | 41 and (2 or spindle or hdd or disk or disc or motor) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/08/24 12:31 |